



**Argolite**

VIEW

## 218 tectr rau (TR)

HPL Structures

Argolite

<http://www.argolite.ch> | [verkauf@argolite.ch](mailto:verkauf@argolite.ch)

**Type:** HPL | Surface / Structure

Texture continuous

|                                       |                                                                                                                                            |
|---------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------|
| mtextur ID                            | 21121                                                                                                                                      |
| Manufacturer                          | Argolite                                                                                                                                   |
| Manufacturer-Email                    | verkauf@argolite.ch                                                                                                                        |
| Product Line                          | HPL Structures                                                                                                                             |
| Material Name                         | 218 tectr rau (TR)                                                                                                                         |
| Type                                  | HPL / Surface / Structure                                                                                                                  |
| Material Info                         | Texture continuous                                                                                                                         |
| eBKP                                  | C 2.2 Internal walls / C 4.1 Suspended slabs / G 3.2 Finished wall coverings / G 4.2 Finished ceiling coverings / I 2.2 Freestanding walls |
| IFC                                   | IfcCovering / IfcFurniture                                                                                                                 |
| Area of application (mtextur Classic) | Inside / Wall / Furniture / Ceiling                                                                                                        |
| Delivery zones                        | LI / AT / IT / FR / DE / CH                                                                                                                |

#### IMPORTANT LEGAL INFORMATION FOR USAGE OF THE MTEXTUR-DATABASE AND MTEXTUR DATASHEET:

In the mtextur-database and the mtextur-datasheet you can find a variety of high-quality digitalized materials, classified according material-type and subtype, color scope, field of application, manufacturer and product-line. The liability of the colors and the pattern of a CAD-texture can not always be guaranteed. For binding samples and additional questions please get in contact with the manufacturer or reseller directly (request link on material page). The information found on the mtextur-database is carefully collected and tested. Nevertheless are there possibilities for mistakes or wrong information. The publisher, h2c GmbH, the according manufacturers and resellers are not liable for any missing or incorrect information and its outcome, except h2c GmbH acts insofar willful.

|                                  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
|----------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| max. Length / Format             | Length = 3300 mm / Width = 1600 mm / Thickness = 30 mm                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| min. Format                      | Length = 2160 mm / Width = 1060 mm / Thickness = 1 mm                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| Quality                          | SN EN 438                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| EN/DIN                           | SN EN 438                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| ISO                              | SN EN ISO 9001, SN EN ISO 14001, ISO 14250                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| Weight                           | 1400.0 kg/m <sup>3</sup>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| Embodied CO <sub>2</sub>         | EPD Homepage, Anfrage ECO <sub>2</sub>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| Factor U                         | 0.3 W/mK2                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| Fire protection class            | 4.3 -5.3                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| Dimension tolerance length/width | -0 / +20 mm                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| Lightfastness                    | Innenanwendung                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| Characteristics Info             | <ul style="list-style-type: none"> <li>• Sizes: 2600 mm * 1300 mm, 3300 mm * 1300 mm</li> <li>• Material weight, density: approx. 1400 - 1970 kg/m<sup>3</sup> depending on the version</li> <li>• Versions: For covering (non-self-supporting), compact (self-supporting), chipboard covered, MDF covered, Norrit covered (RF1), magnetic adhesive, with vapor barrier, anti-fingerprint</li> <li>• Possible applications: Furniture, fronts, (bonded) wall panels, (sliding) door panels.</li> <li>• Not suitable for kitchen backsplashes</li> </ul> |

#### IMPORTANT LEGAL INFORMATION FOR USAGE OF THE MTEXTUR-DATABASE AND MTEXTUR DATASHEET:

In the mtextur-database and the mtextur-datasheet you can find a variety of high-quality digitalized materials, classified according material-type and subtype, color scope, field of application, manufacturer and product-line. The liability of the colors and the pattern of a CAD-texture can not always be guaranteed. For binding samples and additional questions please get in contact with the manufacturer or reseller directly (request link on material page). The information found on the mtextur-database is carefully collected and tested. Nevertheless are there possibilities for mistakes or wrong information. The publisher, h2c GmbH, the according manufacturers and resellers are not liable for any missing or incorrect information and its outcome, except h2c GmbH acts insofar willful.