




VIEW

## 12 Silbermetallic

### PREFABOND

### PREFA

<http://www.prefa.ch/de/> | [office.ch@prefa.com](mailto:office.ch@prefa.com)

**Type:** Metal | Facade

OBERFLÄCHE DURAGLOSS 5000 | Halbversatz

Die PREFABOND Aluminium Verbundplatte bietet nahezu unbegrenzte Gestaltungsmöglichkeiten – mit allen Vorteilen der vorgehängten, hinterlüfteten Fassade. Der langlebige Werkstoff kommt im Neubau genau so wie bei Sanierungen zum Einsatz und sorgt auch im Innenraumdesign für eine besondere Optik. Die Standardtafel hat ein Rohformat von 4.010 × 1.535 mm (nutzbares Format von 4.000 × 1.525 mm) und ist in individuellen Zuschnittsgrößen erhältlich – und das alles bei einem minimalen Gewicht von 7,6 kg/m<sup>2</sup>.

|                     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
|---------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| mtextur ID          | 62633                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| Manufacturer        | PREFA                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| Manufacturer-Email  | office.ch@prefa.com                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| Product Line        | PREFABOND                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| Product Line Info   | Die PREFABOND Aluminium Verbundplatte bietet nahezu unbegrenzte Gestaltungsmöglichkeiten – mit allen Vorteilen der vorgehängten, hinterlüfteten Fassade. Der langlebige Werkstoff kommt im Neubau genau so wie bei Sanierungen zum Einsatz und sorgt auch im Innenraumdesign für eine besondere Optik. Die Standardtafel hat ein Rohformat von 4.010 × 1.535 mm (nutzbares Format von 4.000 × 1.525 mm) und ist in individuellen Zuschnittsgrößen erhältlich – und das alles bei einem minimalen Gewicht von 7,6 kg/m2. |
| Material Name       | 12 Silbermetallic                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| Type                | Metal / Facade                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| Material Info       | OBERFLÄCHE DURAGLOSS 5000   Halbversatz                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| eBKP                | E 2.3 Facade cladding / E 2.4 Facade systems                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| IFC                 | IfcCovering / IfcCurtainWall                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| Area of application | Outside / Wall / Facade                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| Delivery zones      | CH / AT / BE / GB / IT / FR / NL / LU / DK / SE / NO / US / LI / DE                                                                                                                                                                                                                                                                                                                                                                                                                                                     |

#### Important legal notice regarding the use of the mtextur database and the mtextur datasheet

The mtextur database and the mtextur datasheets present a selection of digitally processed building materials, categorised by material type, subtype, colour range, field of application, manufacturer and product line. All content is provided for information and planning support purposes only and is non-binding. The colour appearance, pattern, surface characteristics and scale accuracy of the CAD & BIM textures may differ from the actual products supplied by the respective manufacturers. A binding or exact match cannot be guaranteed. For binding samples, technical specifications and product-specific details, only the respective manufacturer or distributor shall be authoritative. Please contact them directly for such information (enquiry link provided with the material). The content is compiled with due care and to the best of our knowledge. However, errors, omissions or deviations cannot be entirely excluded. The publisher of the mtextur database, h2c GmbH, as well as the listed manufacturers and distributors, accept no liability for the accuracy or completeness of the information provided, nor for any direct or indirect damages or consequential losses arising from the use of the mtextur database or the mtextur datasheets. Liability shall apply exclusively in cases of wilful misconduct.

|                      |                                                                                                                                                                                                                                |
|----------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Weight               | 7.5 kg/m <sup>2</sup>                                                                                                                                                                                                          |
| Characteristics Info | Er sorgt für die Aufnahme der anfallenden Querdehnung. Durch die zusätzliche Kantung des oberen Falzes und die vorgestanzten Löcher kann das Fassadenpaneel FX.12 direkt auf Schalung oder Unterkonstruktion befestigt werden. |

#### Important legal notice regarding the use of the mtextur database and the mtextur datasheet

The mtextur database and the mtextur datasheets present a selection of digitally processed building materials, categorised by material type, subtype, colour range, field of application, manufacturer and product line. All content is provided for information and planning support purposes only and is non-binding. The colour appearance, pattern, surface characteristics and scale accuracy of the CAD & BIM textures may differ from the actual products supplied by the respective manufacturers. A binding or exact match cannot be guaranteed. For binding samples, technical specifications and product-specific details, only the respective manufacturer or distributor shall be authoritative. Please contact them directly for such information (enquiry link provided with the material). The content is compiled with due care and to the best of our knowledge. However, errors, omissions or deviations cannot be entirely excluded. The publisher of the mtextur database, h2c GmbH, as well as the listed manufacturers and distributors, accept no liability for the accuracy or completeness of the information provided, nor for any direct or indirect damages or consequential losses arising from the use of the mtextur database or the mtextur datasheets. Liability shall apply exclusively in cases of wilful misconduct.